

## > PERSONAL LIGHTS



## > MEDIUM DUTY LIGHTS



## > TACTICAL LIGHTS



## LED > TACTICAL LED LIGHTS



## > HEADSUP LIGHTS





## LED > LED AND RECOIL™ LIGHTS



## > NEMO DIVE SERIES



## > SPECIALTY LIGHTS





## LED > REMOTE AREA LIGHTING SYSTEMS

9430



### 9430 RALS

- Wide 90° Beam
- Large area coverage



### 9430IR RALS

- Night vision compatible infrared LED beam
- Low thermal signature



### 9430SL RALS

- Focused 10° beam
- 200 yard reach



9440



9445



9450B



9460



9470



9500



## > HEAVY DUTY LIGHTS

KingLite™  
4000

LED 9410 LED



## > LIGHT KITS

VersaBrite™  
2250 Deluxe Light Kit



### Kit Includes:

- Pelican VersaBrite™ 2200
- Night vision discs
- Head strap
- Hook and loop
- Magnet
- Batteries



### SUBMERSIBLE

\*Dust tight and protected against the effects of temporary immersion under water (1 meter for 30 minutes)

Knife/Lite Combo  
3390



### Kit Includes:

- Pelican PM8 3320
- KB-1250 Knife
- Batteries



EXTREME SPORT DIVE LIGHT



LED LAMP MODULE



RECOIL™ LED LAMP MODULE



RECHARGEABLE



# > SPECIFICATIONS AND FEATURES

| CAT NO. | BATTERIES                                         | WEIGHT WITH BATTERIES (KG) | LENGTH (CM)     | LUMEN Low/High | BURN TIME (hr) Low/High | APPROVALS       | COLORS |
|---------|---------------------------------------------------|----------------------------|-----------------|----------------|-------------------------|-----------------|--------|
| 1900    | 2 AAA Alkaline (included)                         | 1.6 oz. (0.05)             | 4.09" (10.4)    | 7              | 2                       | Class I, Div. 1 |        |
| 2140    | 2 AAA Alkaline (included)                         | 1.8 oz. (0.05)             | 3.5" (8.9)      | 8              | 3                       | Class I, Div. 2 |        |
| 2300    | 2 AA Alkaline (included)                          | 3.4 oz. (0.1)              | 5.62" (14.3)    | 8              | 4                       | Class I, Div. 1 |        |
| 2340    | 2 AA Alkaline (included in select packaging)      | 3.5 oz. (0.1)              | 6.25" (15.9)    | 8              | 4                       | Class I, Div. 1 |        |
| 1800    | 2 C Alkaline (not included)                       | 7.8 oz. (0.22)             | 6" (15.2)       | 15             | 8                       | Class I, Div. 2 |        |
| 1820    | 2 C Alkaline (included in select packaging)       | 8.3 oz. (0.24)             | 5.83" (14.8)    | 15             | 8                       | Class I, Div. 2 |        |
| 2000    | 3 C Alkaline (not included)                       | 12.8 oz. (0.36)            | 7.79" (19.8)    | 33             | 5                       | Class I, Div. 1 |        |
| 2400    | 4 AA Alkaline (included)                          | 7.1 oz. (0.2)              | 6.49" (16.5)    | 25             | 4                       | Class I, Div. 1 |        |
| 2430    | 4 AA Alkaline (included)                          | 6.1 oz. (0.17)             | 6.5" (16.5)     | 32             | 4                       | Class I, Div. 2 |        |
| 2450    | Rechargeable 4 AA NiMH (included)                 | 7.8 oz. (0.22)             | 6.5" (16.5)     | 28             | 4                       | Class I, Div. 2 |        |
| 2320    | 2 CR123 Lithium (included)                        | 5.6 oz. (0.16)             | 5.51" (14)      | 74             | 1                       | N/A             |        |
| 3320    | 2 CR123 Lithium (included)                        | 3.45 oz. (0.1)             | 5.27" (13.4)    | 74             | 1                       | N/A             |        |
| 8040    | 4 C Alkaline (not included)                       | 18.4 oz. (0.52)            | 11.25" (28.6)   | 72             | 8                       | Class I, Div. 2 |        |
| 8050    | Rechargeable 4 C NiCad (included)                 | 17.92 oz. (0.51)           | 11.25" (28.6)   | 151            | 2                       | N/A             |        |
| 2330    | 2 CR123 Lithium (included)                        | 5.5 oz. (0.16)             | 5.51" (14)      | 100            | 6                       | N/A             |        |
| 2360    | 2 AA Alkaline (not included)                      | 4.6 oz. (0.13)             | 6.1" (15.5)     | 95             | 2                       | N/A             |        |
| 2390    | 2 CR123 Lithium (included)                        | 5.6 oz. (0.16)             | 5.31" (13.5)    | 180            | 5                       | N/A             |        |
| 3330    | 2 CR123 Lithium (included)                        | 3.45 oz. (0.1)             | 5.27" (13.4)    | 41             | 40                      | N/A             |        |
| 7060    | Rechargeable 3.7v, 2200mAh Lithium-Ion (included) | 10.4 oz. (0.29)            | 8.65" (22)      | 175            | 1.5                     | N/A             |        |
| 8060    | Rechargeable 4 C SIZE Ni-MH (included)            | 23.2 oz. (0.66)            | 12.67" (32.2)   | 190            | 6                       | N/A             |        |
| 1900N   | 2 AAA Alkaline (included)                         | 1.6 oz. (0.05)             | 4.09" (10.4)    | 7              | 2                       | N/A             |        |
| 1960N   | 2 AAA Alkaline (included)                         | 1.9 oz. (0.05)             | 5.48" (13.9)    | 24             | 3                       | N/A             |        |
| 2000N   | 3 C Alkaline (not included)                       | 12.8 oz. (0.36)            | 7.79" (19.8)    | 33             | 5                       | N/A             |        |
| 2010N   | 3 C Alkaline (not included)                       | 13.4 oz. (0.38)            | 8.11" (20.6)    | 65             | 50                      | N/A             |        |
| 2400N   | 4 AA Alkaline (included)                          | 7.1 oz. (0.2)              | 6.49" (16.5)    | 25             | 4                       | N/A             |        |
| 2410N   | 4 AA Alkaline (included)                          | 7.3 oz. (0.21)             | 7" (17.8)       | 72             | 7.25                    | N/A             |        |
| 4300N   | 8 C Alkaline (not included)                       | 36.64 oz. (1.04)           | 7.5" (19)       | 276            | 4                       | N/A             |        |
| 1830    | 3 AAAA Alkaline (included)                        | 1.2 oz. (0.03)             | 6.2" (15.7)     | 8              | 50                      | Class I, Div. 1 |        |
| 1930    | 4 LR 44 Alkaline (included)                       | 0.9 oz. (0.03)             | 2.64" (6.7)     | 9              | 130                     | Class I, Div. 1 |        |
| 1960    | 2 AAA Alkaline (included)                         | 1.9 oz. (0.05)             | 5.48" (13.9)    | 24             | 3                       | N/A             |        |
| 2010    | 3 C Alkaline (not included)                       | 13.4 oz. (0.38)            | 8.11" (20.6)    | 65             | 50                      | Class I, Div. 1 |        |
| 2020    | 3 C Alkaline (not included)                       | 14.7 oz. (0.42)            | 8.75" (22.2)    | 74             | 6                       | Class I, Div. 1 |        |
| 2130    | 2 L1154 Alkaline (included)                       | 0.5 oz. (0.01)             | 1.73" (4.4)     | 4.7            | 130                     | N/A             |        |
| 2220    | 2 CR2032 Lithium (included)                       | 1 oz. (0.03)               | 3.5" (8.9)      | 6              | 100                     | Class I, Div. 1 |        |
| 2365    | 2 AA Alkaline (not included)                      | 9.3 oz. (0.26)             | 21.92" (55.7)   | 56             | 7                       | N/A             |        |
| 2410    | 4 AA Alkaline (included)                          | 7.3 oz. (0.21)             | 7" (17.8)       | 72             | 7.25                    | Class I, Div. 2 |        |
| 2460    | Rechargeable 4 AA NiMH (included)                 | 7.8 oz. (0.22)             | 7" (17.8)       | 40             | 32                      | Class I, Div. 2 |        |
| 2490    | 4 AA Alkaline (not included)                      | 8.2 oz. (0.23 kg)          | 12.5" (31.7 cm) | 51             | 15                      | N/A             |        |
| 3610    | 4 AA Alkaline (included)                          | 10.5 oz. (0.3)             | 7.51" (19.1)    | 72             | 7.25                    | Class I, Div. 2 |        |
| 3660    | Rechargeable 4 AA NiMH (included)                 | 10.56 oz. (0.3)            | 7.51" (19.1)    | 40             | 32                      | Class I, Div. 2 |        |
| 2600    | 4 AA Alkaline (included)                          | 9.7 oz. (0.27)             | 3.81" (9.7)     | 25             | 3**, 5***               | Class I, Div. 2 |        |
| 2610    | 3 AAA Alkaline (included)                         | 3.2 oz. (0.09)             | 1.49" (3.8)     | 3.0, 9.0       | 150, 80                 | Class I, Div. 1 |        |
| 2620    | 3 AAA Alkaline (included)                         | 4.8 oz. (0.14)             | 2.16" (5.5)     | 9.0, 14.0      | 80, 3                   | Class I, Div. 1 |        |
| 2640    | 4 AA Alkaline (included)                          | 10.9 oz. (0.31)            | 2.63" (6.7)     | 9.0, 21.0      | 50, 3                   | Class I, Div. 2 |        |
| 2680    | 4 AA Alkaline (included)                          | 9.7 oz. (0.27)             | 4.64" (11.8)    | 73             | 33                      | Class I, Div. 2 |        |
| 2690    | 3 AAA Alkaline (included)                         | 4.1 oz. (0.12)             | 2.81" (7.1)     | 60             | 10                      | Class I, Div. 1 |        |
| 3700    | 4 C Alkaline (not included)                       | 20.32 oz. (0.58)           | 7" (17.8)       | 48             | 2.5**, 4***             | Class I, Div. 2 |        |
| 3750    | Rechargeable 4 C NiCad (included)                 | 20.48 oz. (0.58)           | 7" (17.8)       | 72             | 2**, 5***               | Class I, Div. 2 |        |
| 3850LA  | Rechargeable Sealed Lead Acid (included)          | 62.08 oz. (1.76)           | 8.5" (21.6)     | 600            | 1**, 2***               | Class I, Div. 2 |        |
| 3850N   | Rechargeable 6 D NiMH (included)                  | 56.1 oz. (1.59)            | 9.5" (24.1)     | 600            | 1.5**, 2.5***           | Class I, Div. 2 |        |
| 4000    | 8 D Alkaline (not included)                       | 74.08 oz. (2.1)            | 9.37" (23.8)    | 251            | 12                      | Class I, Div. 2 |        |
| 9410    | Rechargeable 4 D NiMH (included)                  | 49.28 oz. (1.4)            | 8.75" (22.2)    | 300, 710       | 4.75, 1.75              | N/A             |        |
| 9430    | 12V Rechargeable, Sealed (included)               | 22.05 lbs. (10)            | 32.28" (82)*    | 1000, 2000     | 15, 8                   | N/A             |        |
| 9440    | Rechargeable NiMH (included)                      | 16.09 lbs. (7.3)           | 86.25" (219)*   | 1200, 2400     | 6, 3                    | N/A             |        |
| 9445    | Rechargeable NiMH (included)                      | 15.43 lbs. (7)             | 83.5" (212)*    | 450, 900       | 14, 7                   | N/A             |        |
| 9450B   | 1 Rechargeable Sealed Lead (included)             | 46 lbs. (20.87)            | 83" (210.7)*    | 1280           | 17, 9                   | N/A             |        |
| 9460    | 12V Rechargeable, Sealed (included)               | 50.71 lbs. (23)            | 70.87" (179.9)* | 2000, 4000     | 14, 7                   | N/A             |        |
| 9470    | 12V Rechargeable, Sealed (included)               | 88.18 lbs. (40)            | 72.85" (185)*   | 4000, 8000     | 14, 7                   | N/A             |        |
| 9500    | N/A                                               | 29.8 lbs. (13.52)          | 20.62" (52.4)   | 400, 2000      | N/A                     | N/A             |        |
| 2250    | 2 AA Alkaline (not included)                      | 0.3 oz. (0.09)             | 3.87" (9.8)     | 7              | 6                       | Class I, Div. 2 |        |
| 3390    | 2 CR123 Lithium (included)                        | 3.45 oz. (0.1)             | 5.27" (13.4)    | 74             | 1                       | N/A             |        |

\*Extended height

\*\*Primary

\*\*\*Back-up

Additional approvals may apply. For details go to [www.pelican.com](http://www.pelican.com)

\*9430 black and yellow 9430R desert tan 9430SL black



## WHAT IT MEANS TO HAVE SAFETY APPROVAL

Products must pass a series of rigorous tests conducted by safety agencies before getting stamps of approval. When you're in a potentially hazardous environment, using a flashlight that carries these approvals is vital.



Underwriters  
Laboratory



Factory Mutual



Mine Safety  
Health Administration



Canadian Safety  
Health Administration



International  
Electrotechnical Commission



ATEX Europe



Urban Search  
and Rescue



Electrical Testing  
Laboratories

## HAZARDOUS AREA ELECTRICAL GUIDELINES

|         | SUBSTANCE                                                                             | TYPICAL ENVIRONMENTS                                                 | CLASSIFICATIONS                   | VOLATILITY |
|---------|---------------------------------------------------------------------------------------|----------------------------------------------------------------------|-----------------------------------|------------|
| CLASS 1 | Flammable Gases,<br>Vapors, or Liquids<br>(Acetylene, Hydrogen,<br>Ethylene, Propane) | Oil Refinery<br>Paint Warehouse<br>Spray Booth<br>Offshore Oil Rig   | Division 1<br>(Hazard Likely)     | MOST       |
|         |                                                                                       |                                                                      | Division 2<br>(Hazard Not Likely) |            |
| CLASS 2 | Combustible Dusts<br>(Metals [Div. 1 only], Coal, Grain)                              | Coal Mine<br>Munitions Factory<br>Grain Silo<br>Hay Storage Facility | Division 1<br>(Hazard Likely)     |            |
|         |                                                                                       |                                                                      | Division 2<br>(Hazard Not Likely) |            |
| CLASS 3 | Ignitable Fibers & Flyings<br>(Machined Magnesium)                                    | Paper Mill<br>Woodworking Facility<br>Textile Mill<br>Cotton Gin     | Division 1<br>(Hazard Likely)     | LEAST      |
|         |                                                                                       |                                                                      | Division 2<br>(Hazard Not Likely) |            |

### Division 1:

Where volatile substances can exist all of the time or some of the time under normal operating conditions.

### Division 2:

Where volatile substances are not likely to exist under normal operating conditions.

